

Application Deficiency Report

Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-13/02/2017



All India Council for Technical Education

(A Statutory body under Ministry of HRD, Govt. of India)

Nelson Mandela Marg Vasant Kunj, New Delhi-110067

PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

DEFICIENCY REPORT AS PER CURRENT INTAKE (Applicable for existing institutes only)

Regional office	South-Central
Application Id	1-3326650383
Permanent Id	1-8547648
Name of the Institute	DADI INSTITUTE OF ENGINEERING & TECHNOLOGY (DIET)
Address	DADI INSTITUTE OF ENGINEERING & TECHNOLOGY NATIONAL HIGH WAY- 5, GAVARAPALEM, ANAKAPALLE, VISHAKHAPATNAM -531002.
City/Village	ANAKAPALLE
District	VISHAKHAPATNAM
State	Andhra Pradesh
Pin	531002

Overall Deficiency of Institute:	No
---	----

Designation	Name	Qualification	Appointment type	PhD
Principal/Director	VENU GOPALA RAO MOIDA	B.TECH -MECHANICAL, M.TECH- FFT(MECHANICAL), 0	Regular	Yes

Date of Signature
(dd/mm/yyyy)

Seal of Institute

Name & signature of Director /Principal

***Note :- All the Dates in the Report are in dd/mm/yyyy format

Application Deficiency Report

Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-13/02/2017

Other Details

Details of Requirement	Status provided by the Institute	Deficiency
List of faculty and data uploaded on the institute web portal	Yes	No
Are all approved teaching faculty being paid as per VI pay commission?	Yes	No
Whether Institute is operating from Permanent Site/ Temporary Site?	Permanent Site	No
Fees to be charged, Reservation policy, Admission policy and Document retention policy are uploaded in Institute's Website?	Yes	No
Courses/Approved Intake displayed at the entrance of the institute?	Yes	No

Anti-Ragging Related Deficiency Status

Details of Requirement	Status provided by the Institute	Deficiency
Constitution of Anti-Ragging Committee	Yes	No
Constitution of Anti-Ragging Squad	Yes	No
Undertaking obtained from all Students	Yes	No
Appointment of Counselors	Yes	No
Undertaking obtained from parents of all the students	Yes	No
Undertaking obtained from students staying in Hostel:	No Hostel	No
Undertaking obtained from parents of students staying in Hostel	No Hostel	No

Ombudsman Related Deficiency Status

Details of Requirement	Status provided by the Institute	Deficiency
Grievance Committee	Yes	No

Total Number of Students in Institute

Number of Students UG	2520
Number of Students PG	492
Number of Students DIPLOMA	720

Date of Signature
(dd/mm/yyyy)

Seal of Institute

Name & signature of Director /Principal

***Note :- All the Dates in the Report are in dd/mm/yyyy format

Application Deficiency Report

Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-13/02/2017

Total Students (CI) (UG+PG+DIPLOMA)	3732
--	------

Faculty

Institute Level Faculty

Type	Actual number	Required number as per CI	Deficiency
Total Faculty(UG+PG+Diploma)	236	236	No
Minimum 80% Regular Faculty	236	189	No

Administrative Area

Type	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Principal / Director Office	36	20	No
Board Room	36	20	No
Office All Inclusive	318	300	No
Department Offices	197	140	No
Cabin for Head of Dept	73	70	No
Central Store	31	30	No
Maintenance	31	10	No
Housekeeping	31	10	No
Pantry for Staff/Faculty	24	10	No
Exam Control Office	63	30	No
Training Placement Office	53	50	No

Amenities Area

Type	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Boys Common Room	100.58	100	No
Girls Common Room	100.58	100	No

Date of Signature
(dd/mm/yyyy)

Seal of Institute

Name & signature of Director /Principal

***Note :- All the Dates in the Report are in dd/mm/yyyy format

Application Deficiency Report

Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-13/02/2017

Type	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Cafeteria	464.5	150	No
Stationery Store	31.761	10	No
First aid cum Sick Room	27.58	10	No

Computational Facilities

Type	Available	Required	Deficiency
Internet Bandwidth	50	48	No
Printers	55	28	No
A1 size Color Printers	0	0	No
Legal Application S/W	50	50	No
Legal System S/W	7	7	No
PCs to Student ratio	578	533	No

Library Facilities

Type	Available	Required	Deficiency
Volumes	27834	26400	No
Titles	8613	3850	No
National Journals	76	69	No
Library Management Software	1	1	No
Reading Room Capacity	180	150	No
MultiMediaPC	17	10	No

Instructional Area-Common Facilities

Type	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Computer Center	203	150	No
Library & Reading Room	406	400	No

Land Area Details

Type	Actual Room Area (Acres)	Expected Room Area (Acres)	Deficiency
Total Area of Land	10.06	7.5	No
Maximum number of Pieces	1	1	No
Minimum per Piece of Area	10.06	7.5	No

ENGINEERING AND TECHNOLOGY / Existing Programme

Type	Level	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Class Room-Tutorial Room	UNDER GRADUATE	3196	2376	No
Additional Workshop/Labs	UG/PG	811	800	No
Tutorial Rooms - PG	POST GRADUATE	340	99	No

Date of Signature
(dd/mm/yyyy)

Seal of Institute

Name & signature of Director /Principal

***Note :- All the Dates in the Report are in dd/mm/yyyy) format

Application Deficiency Report

Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-13/02/2017

Type	Level	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Laboratories-All	UG/PG	3707	2826	No
Workshops	UG/PG	204	200	No
Drawing Halls	UG/PG	201	132	No
Seminar Hall	UG/PG	812	396	No

MANAGEMENT / Existing Programme

Type	Level	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Class Room-Tutorial Room	POST GRADUATE	204	165	No
Seminar Hall	POST GRADUATE	138	132	No

MCA / Existing Programme

Type	Level	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Class Room-Tutorial Room	POST GRADUATE	272	165	No
Laboratories-All	UG/PG	341	264	No
Seminar Hall	POST GRADUATE	204	132	No

XX- No Rooms Available

DNA- Data Not Available / Insufficient Data

Blank Field-Data Not Entered

* Laboratories required and Actual Number includes Total Number of Laboratories, Research Laboratories, and Additional WS/Labs for UG and PG courses, as applicable

^ Actual Number of Tutorial Rooms for Under Graduate includes the Number of Tutorial Rooms Available for PG, if applicable

** Actual Number of Guest Rooms for Under Graduate includes the Actual Number of Guest Rooms Available for PG, if applicable

*** Actual Number of Kitchen for Under Graduate includes the Actual Number of Kitchen Available for PG, if applicable

Other Facilities

Type	Availability	Deficiency
All Weather Approach (Motorised Road)	Yes	No
Barrier free Environment	Yes	No
Electric Supply	Yes	No
General Insurance	Yes	No
Institution Web Site	Yes	No
Standalone Language Laboratory	Yes	No
Medical & Counseling	Yes	No

Date of Signature
(dd/mm/yyyy)

Seal of Institute

Name & signature of Director /Principal

***Note :- All the Dates in the Report are in dd/mm/yyyy) format

Application Deficiency Report

Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-13/02/2017

Type	Availability	Deficiency
Notice Boards	Yes	No
Potable Water Supply	Yes	No
Safety Provisions	Yes	No
Sewage Disposal System	Yes	No
Telephone & FAX	Yes	No
Vehicle Parking	Yes	No
First Aid	Yes	No
Appointment of Student Counsellor	Yes	No
Establishment of Anti Ragging committee	Yes	No
Establishment of committee for SC/ST	Yes	No
Establishment of Internal Complaint Committee(ICC) As per section 4 of SexualHarassment of Women at Workplace (Prevention, Prohibition and Redressal) Act,2013	Yes	No
Establishment of Grievance Redressal Committee in the Institute and Appointment of OMBUDSMAN by the University	Yes	No
Digital Payment for all Financial Transactions as per MHRD Directives	Yes	No
Compliance of the National Academic Depository(NAD) as per MHRD Directives	Yes	No
Display Board within the premises as well as in the Website of the Institution Indicating the Feedback Facility of Students and Faculty Available in the AICTE Web Portal	Yes	No

Date of Signature
(dd/mm/yyyy)

Seal of Institute

Name & signature of Director /Principal

***Note :- All the Dates in the Report are in dd/mm/yyyy) format

Application Deficiency Report

Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-13/02/2017

Type	Availability	Deficiency
Implementing Food Safety and Standard Act,2006 in the Institution	Yes	No
Copies of AICTE Approvals (LOA and EOA of subsequent years)obtained since Inception of Institution till date shall be placed in the Website of the Institution	Yes	No
Provision to watch MOOCS Courses through Swayam	Yes	No
Implementation ofUnnat Bharat Abhiyan	Yes	No
Institution-Industry Cell	Yes	No
Group Insurance for Employees	Yes	No
Insurance for Students	Yes	No
Applied membership-National Digital Library	Yes	No

DEFICIENCY REPORT AS PER INTAKE APPLIED FOR YEAR 2017-2018

Computational Facilities

Type	Available	Required	Deficiency
Internet Bandwidth-Applied Intake	50	48	No
Printers-Applied Intake	55	28	No
A1 size Color Printers-Applied Intake	0	0	No
Legal Application S/W-Applied Intake	50	50	No
Legal System S/W-Applied Intake	7	7	No
PCs to Student ratio-Applied Intake	578	533	No

Library Facilities

Type	Available	Required	Deficiency
Volumes	27834	26400	No
Titles	8613	3850	No

Date of Signature
(dd/mm/yyyy)

Seal of Institute

Name & signature of Director /Principal

***Note :- All the Dates in the Report are in dd/mm/yyyy) format

Application Deficiency Report

Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-13/02/2017

Type	Available	Required	Deficiency
National Journals	76	69	No
Library Management Software	1	1	No
Reading Room Capacity	180	150	No
MultiMediaPC	17	10	No

Instructional Area

ENGINEERING AND TECHNOLOGY / Existing Programme

Type	Level	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Class Room-Tutorial Room	UNDER GRADUATE	3196	2376	No
Additional Workshop/Labs	UG/PG	811	800	No
Tutorial Rooms - PG	POST GRADUATE	340	99	No
Laboratories-All	UG/PG	3707	3222	No
Workshops	UG/PG	204	200	No
Drawing Halls	UG/PG	201	132	No
Seminar Hall	UG/PG	812	396	No

MANAGEMENT / Existing Programme

Type	Level	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Class Room-Tutorial Room	POST GRADUATE	204	165	No
Seminar Hall	POST GRADUATE	138	132	No

MCA / Existing Programme

Type	Level	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Class Room-Tutorial Room	POST GRADUATE	272	165	No
Laboratories-All	UG/PG	341	264	No
Seminar Hall	POST GRADUATE	204	132	No

XX- No Rooms Available

DNA- Data Not Available / Insufficient Data

Blank Field-Data Not Entered

* Laboratories required and Actual Number includes Total Number of Laboratories, Research Laboratories, and Additional WS/Labs for UG and PG courses, as applicable

^ Actual Number of Tutorial Rooms for Under Graduate includes the Number of Tutorial Rooms Available for PG, if applicable

** Actual Number of Guest Rooms for Under Graduate includes the Actual Number of Guest Rooms Available for PG, if applicable

*** Actual Number of Kitchen for Under Graduate includes the Actual Number of Kitchen Available for PG, if applicable

Date of Signature
(dd/mm/yyyy)

Seal of Institute

Name & signature of Director /Principal

***Note :- All the Dates in the Report are in dd/mm/yyyy) format

Application Deficiency Report

Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-13/02/2017

DECLARATION **BY THE PRINCIPAL/DIRECTOR OF THE INSTITUTE**

I, as the Head of the Institution, hereby declare that:

a) I have carefully gone through the AICTE Regulations Notification dated on 27th September 2012, published in the Gazette of India - Extraordinary Part 3, Section (iv) and also the various provisions mentioned in the Approval Process Hand Book 2017-18.

b) I am fully aware of the data uploaded by me in respect of my institute on the web portal.

c) I am aware that there is no provision of correction for data, alteration of data, subsequent editing and appeal etc. for the online application once uploaded on the web portal.

d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of intake, Addition of new courses, Dual Degree course, Integrated Course, Change of site, Closure of course, Supernumerary Seats under PIO/FN/Gulf Quota Approval Status/OCI, NRI, Change of name, and Conversion of women institute into Co-ed institute and vice versa(as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Hand Book 2017-18.

e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my institute on the portal.

f) I am also aware that the institute is eligible for grant of Extension of Approval, Increase/Reduction of intake, Addition of new courses, Closure of course, supernumerary seats under PIO/FN/Gulf Quota Approval Status/OCI, NRI, Change of name, Dual Degree course, Integrated course, Change of site, Conversion of women institute into Co-ed institute and vice versa (as applicable) only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Hand Book 2017-18.

(Principal/Director)

Date of Signature
(dd/mm/yyyy)

Seal of Institute

Name & signature of Director /Principal

***Note :- All the Dates in the Report are in dd/mm/yyyy) format

All India Council for Technical Education

(An Autonomous Organization, Under Ministry of HRD, Govt. of India).

Nelson Mandela Marg, Vasant Kunj, New Delhi-110067 Website: <https://www.aicte-india.org>



APPROVAL PROCESS 2018-19

Application Deficiency Report

DEFICIENCY REPORT AS PER CURRENT INTAKE (Applicable for Existing Institutes only)

Regional Office		South-Central	
Application Id	1-3513726978	Permanent Id	1-8547648
Name of the Institute	DADI INSTITUTE OF ENGINEERING & TECHNOLOGY (DIET)	Address	DADI INSTITUTE OF ENGINEERING & TECHNOLOGY NATIONAL HIGH WAY- 5, GAVARAPALEM, ANAKAPALLE, VISHAKHAPATNAM -531002.
City/Village	ANAKAPALLE	District	VISHAKHAPATNAM
State	Andhra Pradesh	Pin	531002

Overall Deficiency of Institute: **No**

Designation	Name	Appointment Type	Qualification	PhD
Principal/Director	AMARENDRA KOTHALANKA	Regular	B.SC. CS, M.TECH. CST, M.SC.	Yes

Other Details

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	List of faculty and data uploaded on the Institute web portal	Yes	No
2	Are all approved teaching faculty being paid as per VI pay commission?	Yes	No
3	Whether Institute is operating from Permanent Site/ Temporary Site?	Permanent Site	No
4	Fees to be charged, Reservation policy, Admission policy and Document retention policy are uploaded in Institute's Website?	Yes	No
5	Courses/Approved Intake displayed at the entrance of the Institute?	Yes	No

Anti-Ragging Related Deficiency Status

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	Constitution of Anti-Ragging Committee	Yes	No
2	Constitution of Anti-Ragging Squad	Yes	No
3	Undertaking obtained from all Students	Yes	No
4	Appointment of Counselors	Yes	No
5	Undertaking obtained from parents of all the students	Yes	No
6	Undertaking obtained from students staying in Hostel	No Hostel	No
7	Undertaking obtained from parents of students staying in Hostel	No Hostel	No

Ombudsman Related Deficiency Status

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	Grievance Committee	Yes	No

Total Number of Students in Institute

(i)	No. of Students UG	2520
(ii)	No. of Students PG	492
(iii)	No. of Students DIPLOMA	720
Total Students (CI) (UG+PG+DIPLOMA)		3732

Faculty

Institute Level Faculty

Type	Actual No.	Required No. as per CI	Deficiency
Total Faculty(UG+PG+Diploma)	184	166	No

Administrative Area

Type	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
Principal / Director Office	36	30	No
Board Room	36	20	No
Office All Inclusive	318	300	No
Department Offices/Cabin for Head of Dept	270	140	No
Central Store	31	30	No
Maintenance	31	10	No
Security	13	10	No
Housekeeping	31	10	No

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-09/02/2018

Pantry for Staff/Faculty	24	10	No
Exam Control Office	63	30	No
Training Placement Office	53	30	No

Amenities Area			
Type	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Boys Common Room	100.58	100	No
Girls Common Room	100.58	100	No
Cafeteria	464.5	150	No
Stationery Store & Reprography	31.761	10	No
First aid cum Sick Room	27.58	10	No

Computational Facilities			
Type	Available	Required	Deficiency
Internet Bandwidth	64	48	No
Printers	35	28	No
A1 size Color Printers	0	0	No
Legal Application S/W	50	50	No
Legal System S/W	7	7	No
PCs to Student ratio	578	533	No

Library Facilities			
Type	Available	Required	Deficiency
Volumes	28956	26400	No
Titles	5482	3850	No
National Journals	43	69	Yes
Library Management Software	1	1	No
Reading Room Capacity	180	150	No
MultiMediaPC	17	10	No

Instructional Area-Common Facilities			
Type	Available	Required	Deficiency
Computer Center	304	300	No
Library & Reading Room	676	630	No
Language Laboratory	67	66	No

Land Area Details			
Type	Available	Required	Deficiency
Total Area of Land	10.06	7.5	No
Maximum number of Pieces	1	1	No
Minimum per Piece of Area	10.06	7.5	No

ENGINEERING AND TECHNOLOGY / Existing Programme				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	UNDER GRADUATE	3196	2376	No
Additional Workshop/Labs	UG/PG	811	400	No
Class Rooms - PG	POST GRADUATE	544	99	No
Laboratories-All	UG/PG	3707	2694	No
Workshops - Basic	UG/PG	204	200	No
Drawing Halls	UG/PG	201	132	No
Seminar Hall	UG/PG	812	396	No

MANAGEMENT / Existing Programme				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	POST GRADUATE	204	165	No
Seminar Hall	POST GRADUATE	138	132	No

MCA / Existing Programme				
Type	Level	Actual Room	Expected Room	Deficiency

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
 Application Sub-Status: **Payment Received**

Report Generated on :-09/02/2018

		Area (Sqm.)	Area (Sqm.)	
Class Room-Tutorial Room	POST GRADAUTE	272	165	No
Laboratories-All	UG/PG	341	264	No
Seminar Hall	POST GRADAUTE	204	132	No

Other Facilities

Sr. No.	Type	Availability	Deficiency
1	All Weather Approach (Motorised Road)	Yes	No
2	Barrier free Environment	Yes	No
3	Electric Supply	Yes	No
4	General Insurance	Yes	No
5	Institution Web Site	Yes	No
6	Standalone Language Laboratory	Yes	No
7	Medical & Counseling	Yes	No
8	Notice Boards	Yes	No
9	Potable Water Supply	Yes	No
10	Safety Provisions	Yes	No
11	Sewage Disposal System	Yes	No
12	Telephone & FAX	Yes	No
13	Vehicle Parking	Yes	No
14	First Aid	Yes	No
15	Appointment of Student Counsellor	Yes	No
16	Establishment of Anti Ragging committee	Yes	No
17	Establishment of committee for SC/ST	Yes	No
18	Establishment of Internal Complaint Committee(ICC) As per section 4 of SexualHarassment of Women at Workplace (Prevention, Prohibition and Redressal) Act,2013	Yes	No
19	Establishment of Grievance Redressal Committee in the Institute and Appointment of OMBUDSMAN by the University	Yes	No
20	Digital Payment for all Financial Transactions as per MHRD Directives	Yes	No
21	Compliance of the National Academic Depository(NAD) as per MHRD Directives	Yes	No
22	Display Board within the premises as well as in the Website of the Institution Indicating the Feedback Facility of Students and Faculty available in the AICTE Web Portal	Yes	No
23	Implementing Food Safety and Standard Act,2006 in the Institution	Yes	No
24	Copies of AICTE Approvals (LOA and EOA of subsequent years)obtained since Inception of Institution till date shall be placed in the Website of the Institution	Yes	No
25	Provision to watch MOOCS Courses through Swayam	Yes	No
26	Implementation ofUnnat Bharat Abhiyan	Yes	No
27	Institution-Industry Cell	Yes	No
28	Group Insurance for Employees	Yes	No
29	Insurance for Students	Yes	No
30	Applied membership-National Digital Library	Yes	No
31	Implementation of Security Measures	Yes	No
32	Online Grievance Rederssal Mechanism	Yes	No

DEFICIENCY REPORT AS PER INTAKE APPLIED FOR YEAR 2018-2019

Computational Facilities			
Type	Available	Required	Deficiency
Internet Bandwidth-Applied Intake	64	64	No
Printers-Applied Intake	35	26	No
A1 size Color Printers-Applied Intake	0	0	No
Legal Application S/W-Applied Intake	50	50	No
Legal System S/W-Applied Intake	7	7	No
PCs to Student ratio-Applied Intake	578	508	No

Library Facilities

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-09/02/2018

Type	Available	Required	Deficiency
Volumes	28956	27400	No
Titles	5482	4200	No
National Journals	43	69	Yes
Library Management Software	1	1	No
Reading Room Capacity	180	150	No
MultiMediaPC	17	10	No

ENGINEERING AND TECHNOLOGY / Existing Programme

Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	UNDER GRADUATE	3196	2310	No
Additional Workshop/Labs	UG/PG	811	400	No
Class Rooms - PG	POST GRADUATE	544	165	No
Laboratories-All	UG/PG	3707	3618	No
Workshops - Basic	UG/PG	204	200	No
Drawing Halls	UG/PG	201	132	No
Seminar Hall	UG/PG	812	594	No

MANAGEMENT / Existing Programme

Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	POST GRADUATE	204	165	No
Seminar Hall	POST GRADUATE	138	132	No

MCA / Existing Programme

Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	POST GRADUATE	272	165	No
Laboratories-All	UG/PG	341	66	No
Seminar Hall	POST GRADUATE	204	132	No

Note

XX- No Rooms Available

DNA- Data Not Available / Insufficient Data

Blank Field-Data Not Entered

* Laboratories required and Actual Number includes Total Number of Laboratories, Research Laboratories, and Additional WS/Labs for UG and PG courses, as applicable

^ Actual Number of Tutorial Rooms for Under Graduate includes the Number of Tutorial Rooms Available for PG, if applicable

** Actual Number of Guest Rooms for Under Graduate includes the Actual Number of Guest Rooms Available for PG, if applicable

*** Actual Number of Kitchen for Under Graduate includes the Actual Number of Kitchen Available for PG, if applicable

***Note :- All the Dates in the Report are in (dd/mm/yyyy) format

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Printed By : ae343711

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-09/02/2018

DECLARATION

BY THE PRINCIPAL/DIRECTOR/REGISTRAR OF THE INSTITUTE/UNIVERSITY DEPARTMENT

I, as the Head of the Institution, hereby declare that:

a) I have carefully gone through the AICTE Regulations Notification dated on 30th November, 2016, published in the Gazette of India - Extraordinary Part III, Section- 4 and its amendment 05th December 2017 also the various provisions mentioned in the Approval Process Hand Book 2018-19.

b) I am fully aware of the data uploaded by me in respect of my institute on the web portal.

c) I am aware that there is no provision for correction of data, alteration of data, subsequent editing and appeal etc. for the online application once uploaded on the web portal.

d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of intake, Addition of new courses, Change of site, Closure of course, Supernumerary Seats under PIO/FN/Gulf quota Approval status/OCI, NRI, Change of name, and Conversion of women institute into Co-ed institute and vice versa (as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Hand Book 2018-19.

e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my institute on the portal.

f) I am also aware that Institute is eligible for grant of Extension of Approval to the Existing Institutions, Extended EoA(if Applicable as per APH 2018-19), Change in name of the Course(s)/ Reduction in Intake/ Closure of Programme(s) and/ or Course(s), only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Hand Book 2018-19.

Signature of Principal/Director/Registrar

Name :

Seal/Stamp of the Institute/University Department

All India Council for Technical Education

(An Autonomous Organization, Under Ministry of HRD, Govt. of India)

Nelson Mandela Marg, Vasant Kunj, New Delhi-110067 Website: <https://www.aicte-india.org>



APPROVAL PROCESS 2019-20

Application Deficiency Report

DEFICIENCY REPORT AS PER CURRENT INTAKE (Applicable for Existing Institutes only)

Regional Office		South-Central	
Application Id	1-4267134961	Permanent Id	1-8547648
Name of the Institute	DADI INSTITUTE OF ENGINEERING & TECHNOLOGY (DIET)	Address	DADI INSTITUTE OF ENGINEERING & TECHNOLOGY NATIONAL HIGH WAY- 5, GAVARAPALEM, ANAKAPALLE, VISHAKHAPATNAM -531002.
City/Village	ANAKAPALLE	District	VISHAKHAPATNAM
State	Andhra Pradesh	Pin	531002

Overall Deficiency of Institute: **No**

Designation	Name	Appointment Type	Qualification	PhD	Qualified as per AICTE norms (YES/NO)
Principal/Director or	SATYANARAYANA NAGA PRASAD CHEVALA	Regular	BE- Mechanical, MTECH-R&AC, MISTE	Yes	YES

Other Details

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	List of faculty and data uploaded on the Institute web portal	Yes	No
2	Are all approved teaching faculty being paid as per VI pay commission?	Yes	No
3	Whether Institute is operating from Permanent Site/ Temporary Site?	Permanent Site	No
4	Fees to be charged, Reservation policy, Admission policy and Document retention policy are uploaded in Institute's Website?	Yes	No
5	Courses/Approved Intake displayed at the entrance of the Institute?	Yes	No

Anti-Ragging Related Deficiency Status

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	Constitution of Anti-Ragging Committee	Yes	No
2	Constitution of Anti-Ragging Squad	Yes	No
3	Undertaking obtained from all Students	Yes	No
4	Appointment of Counselors	Yes	No
5	Undertaking obtained from parents of all the students	Yes	No
6	Undertaking obtained from students staying in Hostel	No Hostel	No
7	Undertaking obtained from parents of students staying in Hostel	No Hostel	No

Ombudsman Related Deficiency Status

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	Grievance Committee	Yes	No

Total Number of Students in Institute

(i)	No. of Students UG	2460
(ii)	No. of Students PG	432
(iii)	No. of Students DIPLOMA	720
Total Students (CI) (UG+PG+DIPLOMA)		3612

Faculty

Institute Level Faculty

Type	Actual No.	Required No. as per CI	Deficiency
Total Faculty(UG+PG+Diploma)	166	160	No
TOTAL	166.00	160.00	

Administrative Area

Type	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
Principal / Director Office	36	30	No
Board Room	36	20	No

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
 Application Sub-Status: **Payment Received**

Report Generated on :-20/02/2019

Office All Inclusive	318	300	No
Department Offices/Cabin for Head of Dept	270	140	No
Central Store	31	30	No
Maintenance	31	10	No
Security	13	10	No
Housekeeping	31	10	No
Pantry for Staff/Faculty	24	10	No
Exam Control Office	63	30	No
Training Placement Office	53	30	No
TOTAL	906.00	620.00	

Amenities Area			
Type	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Boys Common Room	100.58	100	No
Girls Common Room	100.58	100	No
Cafeteria	464.5	150	No
Stationery Store & Reprography	31.761	10	No
First aid cum Sick Room	27.58	10	No
TOTAL	725.00	370.00	

Computational Facilities			
Type	Available	Required	Deficiency
Internet Bandwidth	64	64	No
Printers	35	24	No
A1 size Color Printers	0	0	No
Number of PCs in Language lab	60	20	No
Legal Application S/W	50	30	No
Legal System S/W	7	4	No
PCs to Student ratio	578	483	No
TOTAL	794.00	625.00	

Library Facilities			
Type	Available	Required	Deficiency
Volumes	36343	26675	No
e-Books Volumes	3150	3150	No
Titles	5683	5125	No
e-Books Titles	406	325	No
Journals	75	72	No
Library Management Software	1	1	No
Reading Room Seating Capacity	200	150	No
MultiMediaPC	17	10	No
TOTAL	45875.00	35508.00	

Instructional Area-Common Facilities			
Type	Available	Required	Deficiency
Computer Center	304	300	No
Library & Reading Room	676	630	No
Language Laboratory	67	66	No
TOTAL	1047.00	996.00	

Land Area Details			
Type	Available	Required	Deficiency
Total Area of Land	10.06	7.5	No
Maximum number of Pieces	1	1	No
Minimum per Piece of Area	10.06	7.5	No
TOTAL	21.12	16.00	

ENGINEERING AND TECHNOLOGY / Existing Programme				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Printed By : ae343711

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-20/02/2019

Class Room-Tutorial Room	UNDER GRADUATE	3196	2244	No
Additional Workshop/Labs	UG/PG	811	200	No
Class Rooms - PG	POST GRADUATE	544	264	No
Laboratories-All	UG/PG	4212	2772	No
Workshops - Basic	UG/PG	400	400	No
Drawing Halls	UG/PG	402	264	No
Seminar Hall	UG/PG	1016	132	No
TOTAL		10581.00	6276.00	

MANAGEMENT / Existing Programme				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	POST GRADUATE	475	165	No
Computer Laboratory	POST GRADUATE	134	66	No
Seminar Hall	POST GRADUATE	138	132	No
TOTAL		747.00	363.00	

MCA / Existing Programme				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	POST GRADUATE	134	99	No
Computer Laboratory	POST GRADUATE	265	66	No
Seminar Hall	POST GRADUATE	132	132	No
TOTAL		531.00	297.00	

Other Facilities				
Sr. No.	Type	Availability	Deficiency	
1	All Weather Approach (Motorised Road)	Yes	No	
2	Barrier free Environment	Yes	No	
3	Electric Supply	Yes	No	
4	General Insurance	Yes	No	
5	Institution Web Site	Yes	No	
6	Standalone Language Laboratory	Yes	No	
7	Medical & Counseling	Yes	No	
8	Notice Boards	Yes	No	
9	Potable Water Supply	Yes	No	
10	Safety Provisions	Yes	No	
11	Sewage Disposal System	Yes	No	
12	Telephone & FAX	Yes	No	
13	Vehicle Parking	Yes	No	
14	First Aid	Yes	No	
15	Appointment of Student Counsellor	Yes	No	
16	Establishment of Anti Ragging committee	Yes	No	
17	Establishment of committee for SC/ST	Yes	No	
18	Establishment of Internal Complaint Committee (ICC) As per section 4 of Sexual Harassment of Women at Workplace (Prevention, Prohibition and Redressal) Act, 2013	Yes	No	
19	Establishment of Grievance Redressal Committee in the Institute and Appointment of OMBUDSMAN by the University	Yes	No	
20	Digital Payment for all Financial Transactions as per MHRD Directives	Yes	No	
21	Compliance of the National Academic Depository (NAD) as per MHRD Directives	Yes	No	
22	Display Board within the premises as well as in the Website of the Institution Indicating the Feedback Facility of Students and Faculty available in the AICTE Web Portal	Yes	No	
23	Implementing Food Safety and Standard Act, 2006 in the Institution	Yes	No	
24	Copies of AICTE Approvals (LOA and EOA of subsequent years) obtained since Inception of Institution till date shall be placed in the Website of the Institution	Yes	No	
25	Provision to watch MOOCS Courses through Swayam	Yes	No	
26	Implementation of Unnat Bharat Abhiyan	Yes	No	

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-20/02/2019

27	Institution-Industry Cell	Yes	No
28	Group Insurance for Employees	Yes	No
29	Insurance for Students	Yes	No
30	Applied membership-National Digital Library	Yes	No
31	Implementation of Security Measures	Yes	No
32	Online Grievance Rederssal Mechanism	Yes	No
33	Internal Quality Assurance Cell	Yes	No
34	Fire and Safety Certificate	Yes	No
35	Display of information submitted to AICTE (including the accreditation status and Board of Governors) along with mandatory disclosures in the Web site of the Institution	Yes	No
36	Sports facilities	Yes	No
37	Group Accident Policy to be provided for the employees	Yes	No
38	Efforts to encourage Final Year students to appear GATE examination	Yes	No
39	Auditorium	Yes	No
40	Display of Course(s) and "Approved Intake" in the Institution at the entrance of the Institution. Course(s) taken through duly recognized MOOCs shall be used as Supplementary Course(s)	Yes	No
41	Intellectual Property Right Cell	Yes	No
42	Implementation of mandatory Internship policy for students	Yes	No
43	Implementation of teacher training policy	Yes	No
44	Implementation of examination reforms	Yes	No
45	Implementation of Startup Policy	Yes	No
46	Innovation Cell/Club	Yes	No
47	Media Cell	Yes	No
48	Training and Placement Cell with budget allocation proof of 1% of the total Institutional budget	Yes	No
49	Participation in the National Innovation Ranking	No	Yes
50	Whether your Institution has introduced online Aadhar linked Biometric attendance for regular faculty members?	Yes	No
51	Backup Electric Supply	Yes	No

Note

XX- No Rooms Available

DNA- Data Not Available / Insufficient Data

Blank Field-Data Not Entered

* Laboratories required and Actual Number includes Total Number of Laboratories, Research Laboratories, and Additional WS/Labs for UG and PG courses, as applicable

^ Actual Number of Tutorial Rooms for Under Graduate includes the Number of Tutorial Rooms Available for PG, if applicable

** Actual Number of Guest Rooms for Under Graduate includes the Actual Number of Guest Rooms Available for PG, if applicable

*** Actual Number of Kitchen for Under Graduate includes the Actual Number of Kitchen Available for PG, if applicable

***Note :- All the Dates in the Report are in (dd/mm/yyyy) format

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Printed By : ae343711

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-20/02/2019

DECLARATION

BY THE PRINCIPAL/DIRECTOR/REGISTRAR OF THE INSTITUTE/UNIVERSITY DEPARTMENT

I, as the Head of the Institution, hereby declare that:

a) I have carefully gone through the AICTE Regulations Notification dated on 30th November, 2016, published in the Gazette of India - Extraordinary Part III, Section- 4 and its amendment 05th December 2017 also the various provisions mentioned in the Approval Process Hand Book 2019-20.

b) I am fully aware of the data uploaded by me in respect of my institute on the web portal.

c) I am aware that there is no provision for correction of data, alteration of data, subsequent editing and appeal etc. for the online application once uploaded on the web portal.

d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of intake, Addition of new courses, Change of site, Closure of course, Supernumerary Seats under PIO/FN/Gulf quota Approval status/OCI, NRI, Change of name, and Conversion of women institute into Co-ed institute and vice versa (as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Hand Book 2019-20.

e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my institute on the portal.

f) I am also aware that Institute is eligible for grant of Extension of Approval to the Existing Institutions, Extended EoA(if Applicable as per APH 2019-20), only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Hand Book 2019-20.

Signature of Principal/Director/Registrar

Name :

Seal/Stamp of the Institute/University Department

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Printed By : ae343711



APPROVAL PROCESS 2020-21

Application Deficiency Report

DEFICIENCY REPORT AS PER APPLIED INTAKE (Applicable for Existing Institutions only)

Regional Office	South-Central	Overall Deficiency of Institution:	No
Application ID	1-7003273035	Permanent ID	1-8547648
Name of the Institution	Dadi Institute Of Engineering & Technology (Diet)	Address	Dadi Institute Of Engineering & Technology National High Way- 5, Gavarapalem, Anakapalle, Visakhapatnam -531002.
City/Village	Anakapalle	District	Vishakhapatnam
State	Andhra Pradesh	PIN	531002

Director/Principal Details

Designation	Name	Appointment Type	Qualification	PhD	Qualified as per AICTE Norms (YES/NO)
Director/Principal	Satyanarayana Naga Prasad Chevala	Regular	BE- Mechanical, MTECH-R&AC, MISTE	Yes	Yes

Other Details

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	List of Faculty Member and Data Uploaded on the Institution Web Portal	Yes	No
2.	Are all Approved Teaching Faculty Member being Paid as per Present Pay Scale/Commission?	Yes	No
3.	Whether Institution is Operating from Permanent Site?	Yes	No
4.	Fees to be Charged, Reservation Policy, Admission Policy and Document Retention Policy are Uploaded in Institution's Website?	Yes	No
5.	Courses/Approved Intake Displayed at the Entrance of the Institution?	Yes	No

Anti-Ragging Related Deficiency Status

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	Constitution of Anti-Ragging Committee	Yes	No
2.	Constitution of Anti-Ragging Squad	Yes	No
3.	Undertaking Obtained from all Students	Yes	No
4.	Appointment of Counselors	Yes	No
5.	Undertaking Obtained from Parents of all the Students	Yes	No
6.	Undertaking Obtained from Students Staying in Hostel	No Hostel	No
7.	Undertaking Obtained from Parents of Students Staying in Hostel	No Hostel	No

Ombudsman Related Deficiency Status

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	Grievance Committee	Yes	No

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-05/03/2020

Institution Level Faculty Member

Sr. No.	Particulars	Actual No.	Required No. as per CI	Deficiency
1.	Total Faculty(UG+PG+Diploma)	205	201	No

Administrative Area

Sr. No.	Particulars	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
1.	Board Room	36	20	No
2.	Department Offices/Cabin for Head of Dept	270	140	No
3.	Central Store	31	30	No
4.	Exam Control Office	63	30	No
5.	Housekeeping	31	10	No
6.	Maintenance	31	10	No
7.	Office All Inclusive	318	300	No
8.	Placement Office	53	30	No
9.	Principal Directors Office	36	30	No
10.	Security	13	10	No
TOTAL		882.00	610.00	

Amenities Area

Sr. No.	Particulars	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
1.	Boys Common Room	100.58	100	No
2.	Cafeteria	464.5	150	No
3.	First aid cum Sick Room	27.58	10	No
4.	Girls Common Room	100.58	100	No
5.	Stationery Store	31.761	10	No
TOTAL		725.00	370.00	

Computational Facilities

Sr. No.	Particulars	Available	Required	Deficiency
1.	Internet Bandwidth	100	100	No
2.	Printers	35	29	No
3.	A1 size Color Printers	1	0	No
4.	Legal Application S/W	50	30	No
5.	Legal System S/W	7	4	No
6.	PCs to Student ratio	608	579	No

Library Facilities

Sr. No.	Particulars	Available	Required	Deficiency
1.	Volumes	32448	28850	No
2.	Titles	6556	5500	No
3.	Journals	93	93	No
4.	Library Management Software	1	1	No

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-05/03/2020

5.	Reading Room Seating Capacity	300	150	No
6.	MultiMediaPC	17	10	No

2

Instructional Area-Common Facilities

Sr. No.	Particulars	Available	Required	Deficiency
1.	Computer Center	304	300	No
2.	Library & Reading Room	836	830	No
3.	Language Laboratory	67	66	No
TOTAL		1207.00	1196.00	

Land Area Details

Sr. No.	Particulars	Available	Required	Deficiency
1.	Total Area of Land	10.06	7.5	No
2.	Maximum number of Pieces	1	2	No

Existing Programme / ENGINEERING AND TECHNOLOGY

Sr. No.	Particulars	Level	Actual Room Area (Sqm)	Expected Room Area (Sqm)	Deficiency
1.	Classroom	UG	2176	1980	No
2.	Tutorial Room	UG	884	264	No
3.	Seminar Hall	UG/PG	882	132	No
4.	Additional Workshop	UG/PG	811	200	No
5.	Drawing Hall	UG/PG	264	264	No
6.	Workshop	UG/PG	400	400	No
7.	Laboratory	UG	3437	2508	No
8.	Classroom	PG	271	198	No
9.	Laboratory	PG	775	264	No
TOTAL			9900.00	6210.00	

Existing Programme / ENGINEERING AND TECHNOLOGY-Diploma

Sr. No.	Particulars	Level	Actual Room Area (Sqm)	Expected Room Area (Sqm)	Deficiency
1.	Classroom	DIPLOMA	612	594	No
2.	Tutorial Room	DIPLOMA	102	99	No
3.	Seminar Hall	DIPLOMA	266	132	No
4.	Additional Workshop	DIPLOMA	150	150	No
5.	Drawing Hall	DIPLOMA	200	132	No
6.	Workshop	DIPLOMA	200	200	No
7.	Laboratory	DIPLOMA	1056	1056	No
TOTAL			2586.00	2363.00	

Existing Programme / MANAGEMENT

Sr. No.	Particulars	Level	Actual Room Area (Sqm)	Expected Room Area (Sqm)	Deficiency
---------	-------------	-------	------------------------	--------------------------	------------

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-05/03/2020

1.	Classroom	PG	407	132	No
2.	Tutorial Room	PG	68	33	No
3.	Seminar Hall	UG/PG	138	132	No
TOTAL			613.00	297.00	

Other Facilities			
Sr. No.	Particulars	Availability	Deficiency
1.	All Weather Approach(Motorised Road)	Yes	No
2.	Safety Provisions	Yes	No
3.	Sewage Disposal System	Yes	No
4.	Telephone	Yes	No
5.	Vehicle Parking	Yes	No
6.	First Aid	Yes	No
7.	Appointment: Student Counselor	Yes	No
8.	Establishment: Anti-Ragging Committee	Yes	No
9.	Establishment: Committee for SC/ST	Yes	No
10.	Establishment: Internal Complaint Committee(ICC)	Yes	No
11.	Estb: Grievance Redressal Committee/OMBUDSMAN	Yes	No
12.	Barrier free Enviroment	Yes	No
13.	AICTE Approval Letters- EoA/LoA	Yes	No
14.	Institution-Industry Cell	Yes	No
15.	Digital Payment-Financial Transactions	Yes	No
16.	Food Safety and Standards	Yes	No
17.	Insurance for Students	Yes	No
18.	Applied membership-National Digital Library	Yes	No
19.	Online Grievance Rederssal Mechanism	Yes	No
20.	Internal Quality Assurance Cell	Yes	No
21.	Fire and Safety Certificate	Yes	No
22.	Atleast 5 MoUs with industries	Yes	No
23.	Display of info submitted to AICTE on website	Yes	No
24.	General Insurance	Yes	No
25.	Backup Electric Supply	Yes	No
26.	Group accident policy for employees	Yes	No
27.	Rain Water Harvesting	Yes	No
28.	Implementation of student Induction Programme	Yes	No
29.	Waste Management and a sustainable Green Campus	Yes	No
30.	Institution Web Site	Yes	No
31.	Medical & Counseling	Yes	No
32.	Notice Boards	Yes	No
33.	Potable Water Supply	Yes	No

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-05/03/2020

DECLARATION

BY THE PRINCIPAL/DIRECTOR/REGISTRAR OF THE INSTITUTION DEPARTMENT

I, as the Head of the Institution, hereby declare that:

- a) I have carefully gone through the AICTE Regulations 2020, published in the Gazette of India Extraordinary Part III, Section- 4 dated 04th February, 2020, also all provisions mentioned in the Approval Process Hand Book 2020-21.
- b) I am fully aware of the data uploaded by me in respect of my Institution on the web portal.
- c) I am aware that there is no provision for correction of data, alteration of data, subsequent editing and appeal etc. for the online application once uploaded on the web portal.
- d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of intake, Addition of new courses, Change of site, Closure of course, Supernumerary Seats under PIO/FN/Gulf quota Approval status/OCI, NRI, Change of name, and Conversion of women Institution into Co-ed Institution and vice versa (as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Hand Book 2020-21.
- e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my Institution on the portal.
- f) I am also aware that Institution is eligible for grant of Extension of Approval to the Existing Institutions, Extended EoA (if Applicable as per APH 2020-21), Increase in Intake/ Additional Course(s), Change in name of the Course(s)/ Reduction in Intake/ Closure of Programme(s) and/ or Course(s), only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Hand Book 2020-21.

Signature of Director/Registrar/ Principal

Name :

Seal/Stamp of the University /Institution Department

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal



APPROVAL PROCESS 2021-22

Application Deficiency Report

DEFICIENCY REPORT AS PER APPLIED INTAKE (Applicable for Existing Institutions only)

Regional Office	South-Central	Overall Deficiency of Institution:		No
Application ID	1-9323206269	Permanent ID	1-8547648	
Name of the Institution	Dadi Institute Of Engineering & Technology (Diet)	Address	Dadi Institute Of Engineering & Technology National High Way- 5, Gavarapalem, Anakapalle, Visakhapatnam -531002.	
City/Village	Anakapalle	District	Vishakhapatnam	
State	Andhra Pradesh	PIN	531002	

Director/Principal Details

Designation	Name	Appointment Type	Qualification	PhD	Eligible as per AICTE Norms (YES/NO)
Director/Principal	Narasimham Challa	Regular	AMIE-CSE, M.Tech-CSE, M.Tech-IT, MCA, DSc	Yes	Yes

Other Details

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	List of Faculty Member and Data Uploaded on the Institution Web Portal	Yes	No
2.	Are all Approved Teaching Faculty Member being Paid as per Present VI /Pay Scale/Commission?	Yes	No
3.	Whether Institution is Operating from Permanent Site?	Yes	No
4.	Fees to be Charged, Reservation Policy, Admission Policy and Document Retention Policy are Uploaded in Institution's Website?	Yes	No
5.	Courses/Approved Intake Displayed at the Entrance of the Institution?	Yes	No

Anti-Ragging Related Deficiency Status

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	Constitution of Anti-Ragging Committee	Yes	No
2.	Constitution of Anti-Ragging Squad	Yes	No
3.	Undertaking Obtained from all Students	Yes	No
4.	Appointment of Counselors	Yes	No
5.	Undertaking Obtained from Parents of all the Students	Yes	No
6.	Undertaking Obtained from Students Staying in Hostel	No Hostel	No
7.	Undertaking Obtained from Parents of Students Staying in Hostel	No Hostel	No

Ombudsman Related Deficiency Status

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	Grievance Committee	Yes	No

Date of Signature(dd/mm/yyyy)



Seal of Institution

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-20/04/2021

Institution Level Faculty Member

Sr. No.	Particulars	Actual No.	Required No. as per CI	Deficiency
1.	Total Faculty(UG+PG+Diploma)	208	161	No

Administrative Area

Sr. No.	Particulars	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
1.	Board Room	36	20	No
2.	Department Offices/Cabin for Head of Dept	270	140	No
3.	Central Store	31	30	No
4.	Exam Control Office	63	30	No
5.	Housekeeping	31	10	No
6.	Maintenance	31	10	No
7.	Office All Inclusive	318	300	No
8.	Placement Office	53	30	No
9.	Principal Directors Office	36	30	No
10.	Security	13	10	No
TOTAL		882.00	610.00	

Amenities Area

Sr. No.	Particulars	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
1.	Boys Common Room	100.58	100	No
2.	Cafeteria	464.5	150	No
3.	First aid cum Sick Room	27.58	10	No
4.	Girls Common Room	100.58	100	No
5.	Stationery Store	31.761	10	No
TOTAL		725.00	370.00	

Computational Facilities

Sr. No.	Particulars	Available	Required	Deficiency
1.	Printers	35	29	No
2.	A1 size Color Printers	1	0	No
3.	Legal Application S/W	50	30	No
4.	Legal System S/W	7	4	No
5.	PCs to Student ratio	608	570	No

Library Facilities

Sr. No.	Particulars	Available	Required	Deficiency
1.	Volumes	35672	25725	No
2.	Titles	7283	5025	No
3.	Journals	100	93	No
4.	Library Management Software	1	1	No
5.	Reading Room Seating Capacity	300	150	No
6.	MultiMediaPC	17	10	No



Date of Signature(dd/mm/yyyy)

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-20/04/2021

Instructional Area-Common Facilities				
Sr. No.	Particulars	Available	Required	Deficiency
1.	Computer Center	304	300	No
2.	Library & Reading Room	836	800	No
3.	Language Laboratory	67	33	No
TOTAL		1207.00	1133.00	

Land Area Details				
Sr. No.	Particulars	Available	Required	Deficiency
1.	Total Area of Land	10.06	7.5	No
2.	Maximum number of Pieces	1	2	No

Existing Programme / ENGINEERING AND TECHNOLOGY					
Sr. No.	Particulars	Level	Actual Room Area (Sqm)	Expected Room Area (Sqm)	Deficiency
1.	Classroom	UG	2176	1980	No
2.	Tutorial Room	UG	884	264	No
3.	Seminar Hall	UG/PG	882	132	No
4.	Additional Workshop	UG/PG	811	200	No
5.	Drawing Hall	UG/PG	264	264	No
6.	Workshop	UG/PG	400	400	No
7.	Laboratory	UG	3437	2112	No
8.	Classroom	PG	271	165	No
9.	Laboratory	PG	775	264	No
TOTAL			9900.00	5781.00	

Existing Programme / ENGINEERING AND TECHNOLOGY-Diploma					
Sr. No.	Particulars	Level	Actual Room Area (Sqm)	Expected Room Area (Sqm)	Deficiency
1.	Classroom	DIPLOMA	612	594	No
2.	Tutorial Room	DIPLOMA	102	99	No
3.	Seminar Hall	DIPLOMA	266	132	No
4.	Additional Workshop	DIPLOMA	150	150	No
5.	Drawing Hall	DIPLOMA	200	132	No
6.	Workshop	DIPLOMA	200	200	No
7.	Laboratory	DIPLOMA	1056	1056	No
TOTAL			2586.00	2363.00	



Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-20/04/2021

Existing Programme / MANAGEMENT					
Sr. No.	Particulars	Level	Actual Room Area (Sqm)	Expected Room Area (Sqm)	Deficiency
1.	Classroom	PG	407	132	No
2.	Tutorial Room	PG	68	33	No
3.	Seminar Hall	UG/PG	138	132	No
TOTAL			613.00	297.00	

Other Facilities			
Sr. No.	Particulars	Availability	Deficiency
1.	All Weather Approach(Motorised Road)	Yes	No
2.	Safety Provisions	Yes	No
3.	Sewage Disposal System	Yes	No
4.	Telephone	Yes	No
5.	Vehicle Parking	Yes	No
6.	First Aid	Yes	No
7.	Appointment of Student Counselor	Yes	No
8.	Establishment of Anti-Ragging Committee	Yes	No
9.	Establishment of Committee for SC/ST	Yes	No
10.	Establishment of Internal Complaint Committee(ICC)	Yes	No
11.	Establishment of Grievance Redressal Committee/OMBUDSMAN	Yes	No
12.	Barrier free Enviroment	Yes	No
13.	AICTE Approval Letters- EoA/LoA	Yes	No
14.	Institution-Industry Cell	Yes	No
15.	Digital Payment-Financial Transactions	Yes	No
16.	Food Safety and Standards	Yes	No
17.	Insurance for Students	Yes	No
18.	Online Grievance Rederssal Mechanism	Yes	No
19.	Internal Quality Assurance Cell	Yes	No
20.	Fire and Safety Certificate	Yes	No
21.	Atleast 5 MoUs with industries	Yes	No
22.	Display of info submitted to AICTE on website	Yes	No
23.	General Insurance	Yes	No
24.	Backup Electric Supply	Yes	No
25.	Group accident policy for employees	Yes	No
26.	Implementation of student Induction Programme	Yes	No
27.	Waste Management and a sustainable Green Campus	Yes	No
28.	Display of Course(s) and Approved In entrance	Yes	No
29.	Institution Web Site-Mandatory Disclosure	Yes	No
30.	Medical & Counseling	Yes	No
31.	Notice Boards	Yes	No
32.	Potable Water Supply	Yes	No

Date of Signature(dd/mm/yyyy)



Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-20/04/2021

DECLARATION

BY THE AUTHORIZED SIGNATORY OF THE INSTITUTION /DEPARTMENT

I, as the Head of the Institution, hereby declare that:

- a) I have carefully gone through the AICTE Regulations 2021, published in the Gazette of India Extraordinary Part III, Section- 4 dated 04th February, 2021, also all provisions mentioned in the Approval Process Handbook 2021-22.
- b) I am fully aware of the data uploaded by me in respect of my institution on the web portal.
- c) I am aware that there is no provision for correction of data, alteration of data, subsequent editing and appeal etc. for the online application once submitted on the web portal.
- d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of intake, Addition of new courses, Change of site, Closure of course, Supernumerary Seats under FN/Gulf quota Approval status/OCI, NRI, Change of name, and Conversion of women institution into Co-ed institution and vice versa (as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Handbook 2021-22.
- e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my institution on the web portal.
- f) I am also aware that Institution is eligible for grant of Extension of Approval to the Existing Institutions, Extended EoA(if Applicable as per APH 2021-22), Increase in Intake/ Additional Course(s), Change in name of the Course(s)/ Reduction in Intake/ Closure of Programme(s) and/ or Course(s), only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Handbook 2021-22.

A handwritten signature in blue ink is written over a circular stamp. The signature is stylized and appears to be 'N'. The stamp is partially obscured by the signature.

Signature of Authorized Signatory

Name :

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal